

Model # 940SM-P6-BB

12/17/2021 Page 1 of 9



SAFETY WARNINGS & EQUIPMENT INSPECTION

- Owners and installers please note these safety warnings and make use of this checklist on a regular basis.
- Follow installation instructions when erecting equipment.
- Ground surfaces around equipment should be restored as needed. Concrete footings should never be exposed. Surface depth should comply with ASTM and CPSC specifications.
- Check for and repair damage caused by wear or vandalism, a major factor in injury causing situations.
- All protruding bolts should be covered or cut off and finished smooth. Sharp edges on pipes should be capped or removed. Check for bent, broken, or severely worn pipe, and replace.
- All equipment should be free of rust and repainted whenever necessary to deter rusting.
- We provide our customers with layout sheets and installation instructions. Please keep on file the specifications sheet that contains the listing of every part used.
- Never add components not intended for use with this product.
- Regular maintenance is necessary in this and all park and recreational equipment to insure the safety of the user.
- Note: Proper maintenance of equipment requires regular tightening of all bolts, nuts, and setscrews.
- Note: Regular checking of all parts, castings, etc. should be made. If a part is broken or worn, it should be replaced immediately.
- Check to be sure all fittings are tight and that bars and pipes do not move.
- Replace all worn S-hooks. S-hooks must be completely closed. Failure to close S-hooks can result in serious injury to the user.
 NEVER reuse S-hooks.
- Test for free movement of swing hanger and other moving attached parts.
- Check for worn chains and replace them.
- A soft resilient surface should be placed under all swings extending at least twice the height of the top rail both front and back.

12/17/2021 Page 2 of 9

HARDWARE



5/16" x 1" Machine Bolt



5/16" Washer




5/16" Kep Nut





800-45-ULTRA www.


www.ultra-site.com

TOOLS REQUIRED











800-45-ULTRA www.ultra-site.com

12/17/2021 Page 4 of 9

ULTRA SITE PRODUCT SPECIFICATIONS

940SM-P6-BB SURFACE MOUNT BUDDY BENCH WITH BACK

Seats & Back: 11 gauge die formed angle frame 1"x1-7/8" with 3" radius corners. Seat and back plates are fabricated from a 12GA plate. Holes are precision punched at 1-1/8" and 1/4" diameter. 7 gauge x 1-1/2" flat bar center support and mounting bracket understructure. Electrically MIG welded.

Coating: Oven fused functionalized polyethylene copolymer-based thermoplastic. Fluidized bed coating application with superior mechanical performance, impact resistance and UV-stability.

Frame: 2-3/8" O.D. x 12 gauge pre-galvanized structural steel tubing. Seat/back support is bent over a mandrel through the bend radius producing a wrinkle free bend. Tube ends are pre-galvanized steel capped. Seat mounting points are 7 gauge x 1-1/2" die stamped steel flat bar. A 6"X6" steel plate makes up the surface mount footing. The surface mount plate has four holes for stable mounting, and clipped corners for a more finished look. All electrically MIG welded.

Frame Coating: Electrostatic powder coated application oven cured.

Hardware: All stainless steel hardware fasteners.


Dimensions: 6' bench surface mount with back. Seats and back are 12" wide x 72" long. Seat height is 18", seat back height is 35". Total depth of seat with back is 22-1/4".



800-45-ULTRA www.ultra-site.com

12/17/2021 Page 5 of 9

COMPONENTS



| ITEM NO. | PartNo | DESCRIPTION | QTY |
|----------|--------------------------|------------------------------|-----|
| 1 | P-V940SM | 940 Surface Mount Leg | 2 |
| 2 | T-01-01-0781 | 6' Buddy Bench Game Seat | 1 |
| 3 | 33-02-0007 | 5/16" SS Washer | 16 |
| 4 | 33-05-0029 | 5/16" x 1" Machine Bolt (SS) | 8 |
| 5 | 33-03-0012 | 5/16" Kep Nut (SS) | 8 |
| 6 | VARIES- SEE LAST PAGE | VARIES- SEE LAST PAGE | 1 |


Optional Surface Mount Hardware: 3/8" x 3-1/2" Concrete Expansion Anchor Bolts (Not Included)



800-45-ULTRA www.ultra-site.com

12/17/2021 Page 6 of 9

STEP 1




Attach the 6' Punched Seat and Back to the 940 legs using specified hardware.



800-45-ULTRA www.ultra-site.com


12/17/2021 Page 7 of 9



12/17/2021 Page 8 of 9

SEAT BACK OPTIONS









Sun Icon

Balloon Icon

Friends Icon

Paw Icon

BASED ON YOUR FONT AND ICON SELECTION, YOUR BENCH WILL INCLUDE ONE OF THE FOLLOWING SEAT BACKS.

| PART NO | DESCRIPTION | |
|------------|---|--|
| 01-01-1301 | 6' buddy bench, Teen Bold (Font A) & sun | |
| 01-01-1302 | 6' buddy bench, Teen Bold (Font A) & balloons | |
| 01-01-1303 | 6' buddy bench, Teen Bold (Font A) & friends | |
| 01-01-1304 | 6' buddy bench, Teen Bold (Font A) & paw print | |
| 01-01-1305 | 6' buddy bench, Original (Font C) & sun | |
| 01-01-0451 | 6' buddy bench, Original (Font C) & balloons | |
| 01-01-1306 | 6' buddy bench, Original (Font C) & friends | |
| 01-01-1307 | 6' buddy bench, Original (Font C) & paw print | |
| 01-01-1308 | 6' buddy bench, Octin Prison (Font D) & sun | |
| 01-01-1309 | 6' buddy bench, Octin Prison (Font D) & balloons | |
| 01-01-1310 | 6' buddy bench, Octin Prison (Font D) & friends | |
| 01-01-1311 | 6' buddy bench, Octin Prison (Font D) & paw print | |
| 01-01-1312 | 6' buddy bench, Idolwild (Font F) & sun | |
| 01-01-1313 | 6' buddy bench, Idolwild (Font F) & balloons | |
| 01-01-1314 | 6' buddy bench, Idolwild (Font F) & friends | |
| 01-01-1315 | 6' buddy bench, Idolwild (Font F) & paw print | |

Buddy Bench

Teen Bold Font

Buddy Bench

Original Font

BUDDY BENCH

Octin Font

Buddy Bench

(Idol) Wild Font



800-45-ULTRA

www.ultra-site.com

12/17/2021 Page 9 of 9